

1000% Increase In Vaccine Deaths And Injuries After Pfizer C-19 EUA For Kids Aged 5-11!

Description

USA: Pfizer shared that they asked the FDA for a EUA for a booster C-19 shot for kids aged 5-11.

The FDA issued a EUA for the Pfizer coronavirus shots for these children in October 2021.

One doctor on the FDA Advisory Committee deliberating on whether or not the EUA should be given to these kids said that it would be the only way to see if the shots were safe for this age group.

We have almost six months of data since the first EUA was issued for this age group to be vaccinated with Pfizer's C-19 shots.

More than 10,000 cases have been filed to VAERS of deaths and injuries among children in this age group.

There were 939 cases of vaccine side effects in the same period for all of the FDA-approved shots for children.

There are 1000% of vaccine injuries and deaths for this age group after the C-19 shots.

We couldn't find data on how many children in this age group have been vaccinated with the Pfizer C-19 vaccines.

From the 4/8/2022 release of VAERS data:

Found 10,626 cases where Age is 5-or-more-andunder-12 and Vaccine targets COVID-19 (COVID19)

4	↑ ↓	
Event Outcome	Count	Percent
Death	9	0.08%
Permanent Disability	43	0.4%
Office Visit	1,635	15.39%
Emergency Room	2	0.02%
Emergency Doctor/Room	675	6.35%
Hospitalized	313	2.95%
Hospitalized, Prolonged	1	0.01%
Recovered	3,764	35.42%
Birth Defect	3	0.03%
Life Threatening	56	0.53%
Not Serious	5,442	51.21%
TOTAL	† 11,943	† 112.39%

greater than 10626 (the number of cases found), and the Total Percentage is greater than 100.

I think it is safe to conclude, therefore, that these children are receiving more FDA-approved vaccines than EUA COVID-19 vaccines.

[&]quot; For FDA approved vaccines in the childhood immunization schedule, this age group receives the following vaccines: Diphtheria, Tetanus, & acellular pertussis vaccines, Inactivated poliovirus vaccine, Influenza (one each year), Measles, mumps, rubella vaccines, Varicella vaccine, Tetanus, diphtheria, & acellular pertussis vaccines, Human papillomavirus vaccine, and the Meningococcal vaccine. (Source.)

From the 4/8/2022 release of VAERS data:

Found 939 cases where Age is 5-or-more-and-under-12 and Vaccine is 6VAX-F or ADEN or ADEN 4 7 or ANTH or BCG or CEE or CHOL or DF or DPIPV or DPP or DT or DTAP or DTAPH or DTAPHEPBIP or DTAPIPV or DTAPIPVHIB or DTIPV or DTOX or DTP or DTPHEP or DTPHIB or DTPIHI or DTPIPV or DTPPHIB or DTPPVHBHPB or EBZR or FLU(H1N1) or FLU3 or FLU4 or FLUA3 or FLUA4 or FLUC3 or FLUC4 or FLUN(H1N1) or FLUN3 or FLUN4 or FLUR3 or FLUR4 or FLUX or FLUX(H1N1) or H5N1 or HBHEPB or HBPV or HEP or HEPA or HEPAB or HEPATYP or HIBV or HPV2 or HPV4 or HPV9 or HPVX or IPV or JEV or JEV1 or JEVX or LYME or MEA or MEN or MENB or MENHIB or MER or MM or MMR or MMRV or MNC or MNQ or MNQHIB or MU or MUR or OPV or PER or PLAGUE or PNC or PNC10 or PNC13 or PNC15 or PNC20 or PPV or RAB or RUB or RV or RV1 or RV5 or RVX or SMALL or SSEV or TBE or TD or TDAP or TDAPIPV or TTOX or TYP or UNK or VARCEL or VARZOS or YF and Vaccination Date from '2021-10-01' to '2022-12-31'

Event Outcome	↑ ↓	
	Count	Percent
Death	1	0.11%
Permanent Disability	5	0.53%
Office Visit	177	18.85%
Emergency Doctor/Room	71	7.56%
Hospitalized	16	1.7%
Recovered	370	39.4%
Life Threatening	9	0.96%

Table

† Because some cases nave multiple vaccinations and symptoms, a single case can account for multiple entries in this table. This is the reason why the Total Count is greater than 939 (the number of cases foբந்துர்த்திர்த்∂otal Percentage is greater than 100.

TOTAL

428

+ 1,077

45.58%

Not Serious

Not only should the FDA not authorize a booster shot for this age group, but they should also immediately suspend the original 2-dose Pfizer COVID-19 vaccines for this age group.

As I have previously reported, however, it appears that Pfizer is now in control of the FDA committing their crimes against humanity with COVID-19 shots that are neither safe nor effective." Health Impact News reported.

Below you can find some stories of children injured by the shots.





gofundme.com

Donate

Share

A few words from Chelsea

On September 28, 2021, Kameron received his 2nd Pfizer COVID vaccine. He was feeling unwell later that night and slept through most of the next day. On September 30th, he was rushed to the nearest hospital by his mother. Kameron was evaluated, and determined to have severe myocarditis and pericarditis. His Troponin level was at 27.00 (normal is less than 0.04). He was transfered by ambulance to Primary Children's Medical Center and admitted. After an aggressive course of anti-inflammatory medications, his Troponin levels dropped and then began to rise again. He was administered IVIG (Intravenous Immunoglobin) therapy and continued on the aggressive anti-inflammatory medications. Kameron was discharged after 6 days, which included several EKGs, ECGs, and cardiac MRIs. Kameron's care team included the Pediatric Cardiology team, the Infectious Diseases team, and the hospital's CDC representative. Kameron's case was CONFIRMED to be the cause of the Pfizer vaccine. Because of this, the insurance company is balking at covering all of the costs, including his upcoming stress test, Cardiac MRI, and heart activity monitor that he must wear for a week. Kameron has been playing football, basketball, and baseball since he was 7 years old, and with the myocarditis, he was forced to quit football and couldn't play basketball last season, has not been cleared for spring training for football, and will likely not be able to play baseball. This may very well have ruined any chances of him going to college on a sports scholarship. Please help by donating to Kameron's medical bills. Thank you.



Source

Health Impact News

by Addison Wilson

Category

- 1. Health-Wellness-Healing-Nutrition & Fitness
- 2. Main
- 3. Science-Tech-Al-Medical & Gen. Research

Date Created

04/18/2022