



COVID Vaccines Causing Death Can Be Proven

Description

There are various ways to show that COVID vaccines can kill people. Likely the best is conducting a very good autopsy.

A new medical [article](#) by a German researcher details the findings of an autopsy that proved death was caused by COVID vaccination. The title is “A Case Report: Multifocal Necrotizing Encephalitis and Myocarditis after BNT162b2 mRNA Vaccination against COVID-19.”

Here is the abstract:

“The current report presents the case of a 76-year-old man with Parkinson’s disease (PD) who died three weeks after receiving his third COVID-19 vaccination. The patient was first vaccinated in May 2021 with the ChAdOx1 nCov-19 vector vaccine, followed by two doses of the BNT162b2 mRNA vaccine in July and December 2021. The family of the deceased requested an autopsy due to ambiguous clinical signs before death. PD was confirmed by post-mortem examinations. Furthermore, signs of aspiration pneumonia and systemic arteriosclerosis were evident. However, histopathological analyses of the brain uncovered previously unsuspected findings, including acute vasculitis (predominantly lymphocytic) as well as multifocal necrotizing encephalitis of unknown etiology with pronounced inflammation including glial and lymphocytic reaction. In the heart, signs of chronic cardiomyopathy as well as mild acute lympho-histiocytic myocarditis and vasculitis were present. Although there was no history of COVID-19 for this patient, immunohistochemistry for SARS-CoV-2 antigens (spike and nucleocapsid proteins) was performed. Surprisingly, only spike protein but no nucleocapsid protein could be detected within the foci of inflammation in both the brain and the heart, particularly in the endothelial cells of small blood vessels. **Since no nucleocapsid protein could be detected, the presence of spike protein must be ascribed to vaccination rather than to viral infection. The findings corroborate previous reports of encephalitis and myocarditis caused by gene-based COVID-19 vaccines.**” [emphasis added]

And here are the conclusions:

”Numerous cases of encephalitis and encephalomyelitis have been reported in con-

nection with the gene-based COVID-19 vaccines, with many being considered causally related to vaccination [31,38,39]. However, this is the first report to demonstrate the presence of the spike protein within the encephalitic lesions and to attribute it to vaccination rather than infection. **These findings corroborate a causative role of the gene-based COVID-19 vaccines, and this diagnostic approach is relevant to potentially vaccine-induced damage to other organs as well.**

A South Korea [study](#) said this:

“We present autopsy findings of a 22-year-old man who developed chest pain 5 days after the first dose of the BNT162b2 mRNA vaccine and died 7 hours later. Histological examination of the heart revealed isolated atrial myocarditis, with neutrophil and histiocyte predominance. Immunohistochemical C4d staining revealed scattered single-cell necrosis of myocytes which was not accompanied by inflammatory infiltrates. Extensive contraction band necrosis was observed in the atria and ventricles. There was no evidence of microthrombosis or infection in the heart and other organs. The primary cause of death was determined to be myocarditis, **causally-associated with the BNT162b2 vaccine.**” [emphasis added]

Another recent [study](#) found the following:

“We report the autopsy results, including microscopic myocardial findings, of 2 teenage boys who died within the first week after receiving the second Pfizer-BioNTech COVID-19 dose. The microscopic findings are not the alterations seen with typical myocarditis. This suggest a role for cytokine storm, which may occur with an excessive inflammatory response, as there also is a feedback loop between catecholamines and cytokines.”

And yet another [study](#) found similar results;

“In these two adult cases of histologically confirmed, fulminant myocarditis that had developed within 2 weeks after Covid-19 vaccination, a direct causal relationship cannot be definitively established because we did not perform testing for viral genomes or autoantibodies in the tissue specimens. However, no other causes were identified by PCR assay or serologic examination.”

Unlike the German and Korean studies these two US studies seemed reluctant to state the obvious causality between the COVID vaccine and death.

Here is part of a pertinent [news story](#) with this title: “FDA Withholding Autopsy Results on People Who Died After Getting COVID-19 Vaccines.”

“The U.S. Food and Drug Administration (FDA) is refusing to release the results of autopsies conducted on people who died after getting COVID-19 vaccines.

The FDA says it is barred from releasing medical files, but a drug safety advocate says that it could release the autopsies with personal information redacted.”

Kim Witczak, a drug safety advocate who advises the FDA as part of the Psychopharmacologic Drugs Advisory Committee, said that the reports could be released with personal information blacked out.

“The personal information could easily be redacted without losing the potential learnings from [the]

autopsy,” Witczak told The Epoch Times via email.

People make the choice to submit autopsy results to the Vaccine Adverse Event Reporting System, Witczak noted.

“If someone submits their experience to VAERS they want and expect to have it investigated by the FDA. This includes autopsy reports,” she said.

Autopsies are examinations of deceased persons performed to determine the cause of death.

“Autopsies can be an important part of postmortem analysis and should be done especially with increased deaths following COVID-19 vaccination,” Witczak said.the

A [review](#) of the scarcity of autopsies concluded:

“To ensure public safety, postmortem investigations on all fatalities associated with COVID-19 vaccination should be done. Autopsies should be publicly funded, carried out by independent pathologists, with results published free of authoritarian censorship that supports deceiving narratives. Pathologists must be protected against intimidation and retaliation if their reports differ from results desired by officialdom.”

Data analysis


Besides autopsies, a number of analysts have done data studies that lead to the conclusion that COVID vaccines explain many deaths.

Here is a conclusion from one such [analysis](#) of Massachusetts data:

“It is apparent that as you move younger through the age groups that overall mortality *and* COVID-19 mortality gets relatively worse in 2021 than 2020. This is in stark contrast to the claims that the COVID-19 vaccine is both *safe* and *effective*.”

Another analysis, also of Massachusetts data, came to this conclusion:

“the official Massachusetts database of death certificates contains proof that C19 gene modification biological injectable products killed thousands of people in Massachusetts in 2021. There is not another dataset out there like that one that definitely proves prolonged excess death in causes specific to the circulatory system and in numbers in the thousands of lives and in younger people than expected. C19 was over in Massachusetts in June 2020. What has happened since then has been a hidden disaster of biological injectable product madness.”



by Joel S. Hirschhorn, Ph.D.

Category

1. Crime-Justice-Terrorism-Corruption
2. Disasters-Crisis-Depopulation-Genocide
3. Health-Wellness-Healing-Nutrition & Fitness
4. Main
5. NWO-Deep State-Dictatorship-Tyrrany

Date Created

10/25/2022