



Secret CDC Report confirms over 1.1m Americans have 'Died Suddenly' since the COVID Vaccine Roll-Out; & further Government reports confirm the Vaccines are to blame

Description



The Covid-19 injections were meant to reduce the sudden surge of deaths the USA recorded in 2020 due to the alleged Covid-19 pandemic. But unfortunately, the official figures prove that the opposite has happened.

Official reports quietly published by the United States Centers for Disease Control (CDC) confirm that over 6 million Americans have died ever since the U.S. Food & Drug Administration granted emergency use authorisation to a Covid-19 vaccine in December 2020; with 2021 being a record-breaking year for deaths.

This sadly means that at least 1.1 million Americans may have 'died suddenly' during this time frame because according to the CDC reports there have been 1,106,079 excess deaths compared to the 2015-2019 five-year average.

And with further official Government figures confirming that mortality rates per 100,000 are highest among the vaccinated population in every single age group, it would appear Covid-19 vaccination is almost entirely to blame.



Compared to other countries, the U.S. Government has been terrible at publishing relevant and up-to-date data allowing us to analyse the consequences of rolling out the Covid-19 injections. However, we have finally managed to stumble upon it thanks to an institution known as the Organisation for Economic Co-operation and Development (OEC).

The OEC is an intergovernmental organisation with 38 member countries founded in 1961 to stimulate economic progress and world trade. And for some reason, they host a wealth of data on excess deaths. You can find that data for yourself [here](#).

The following chart has been created using the figures found in the OEC database. Figures that have been provided to the OEC by the U.S. Centers for Disease Control (CDC). And it shows excess deaths across the USA by week in 2022 up to week 38 (25th September).

The above chart reveals that the USA has recorded a significant number of excess deaths every single week throughout 2022. With the grand total equating to 349,398 excess deaths by week 38.

This means 1,700 more Americans actually died by week 38 of 2022 than those who died by week 38 of 2020, despite the fact there was a huge wave of alleged Covid-19 deaths during this period.

But that's not the worst of it. Because the official CDC figures reveal that 2021 was a record-breaking year for deaths across the USA, with the country recording over 100,000 more deaths than it recorded in 2020, prior to the roll-out of the experimental Covid-19 injections.

According to the CDC, by week 52 of 2020, America had suffered 3,355,807 deaths. But the following year, in 2021, the CDC confirms that America suffered 3,457,518 deaths.

This means 101,711 more people died in 2021 following the Covid-19 vaccine roll-out than they did in 2020 prior to the Covid-19 vaccine roll-out.

It also means America suffered 674,951 excess deaths in 2021 compared to the 2015-2019 five-year average.

The first Covid-19 injection was administered in the USA on December 14th 2020, and according to the

quietly published figures provided by the CDC, 6,090,716 Americans sadly lost their lives after this date up until week 38 of 2022.

This means America has suffered at least 1,106,079 excess deaths ever since the U.S. Government decided to coerce millions of Americans into getting an experimental gene therapy (Covid-19 injection).

So like we said at the beginning, the Covid-19 injections were meant to reduce the sudden surge of deaths the USA recorded in 2020 due to the alleged Covid-19 pandemic. But unfortunately, the official figures prove that the opposite has happened.

The question is, why?

The answer to that question can be found in an official report published by the UK Government.

The report was published in July by the UK Government organisation known as the Office for National Statistics (ONS), and it is titled '[Deaths by Vaccination Status, England, 1 January 2021 to 31 May 2022](#)'. It can be accessed on the ONS site [here](#) or downloaded [here](#).


Table 2 of the report contains the monthly age-standardised mortality rates by vaccination status by age group for deaths per 100,000 person-years in England up to May 2022.

Here's how the ONS present the data for 18 to 39-year-olds in May 2022 –

We've taken the figures provided by the ONS for January to May 2022 and produced the following charts which reveal the horrific consequences of the mass Covid-19 vaccination campaign.


18 to 39-year-olds

The following chart has been created using the figures found in the OEC database. Figures that have been provided to the OEC by the U.S. Centers for Disease Control (CDC). And it shows excess deaths across the USA by week in 2022 up to week 38 (25th September).




[Source Data](#)

The above chart reveals that the USA has recorded a significant number of excess deaths every single week throughout 2022. With the grand total equating to 349,398 excess deaths by week 38.




[Source Data](#)

This means 1,700 more Americans actually died by week 38 of 2022 than those who died by week 38 of 2020, despite the fact there was a huge wave of alleged Covid-19 deaths during this period.



[Source Data](#)

But that's not the worst of it. Because the official CDC figures reveal that 2021 was a record-breaking year for deaths across the USA, with the country recording over 100,000 more deaths than it recorded in 2020, prior to the roll-out of the experimental Covid-19 injections.




[Source Data](#)

According to the CDC, by week 52 of 2020, America had suffered 3,355,807 deaths. But the following year, in 2021, the CDC confirms that America suffered 3,457,518 deaths.

This means 101,711 more people died in 2021 following the Covid-19 vaccine roll-out than they did in 2020 prior to the Covid-19 vaccine roll-out.


It also means America suffered 674,951 excess deaths in 2021 compared to the 2015-2019 five-year average.

The first Covid-19 injection was administered in the USA on December 14th 2020, and according to the quietly published figures provided by the CDC, 6,090,716 Americans sadly lost their lives after this date up until week 38 of 2022.



[Source Data](#)

This means America has suffered at least 1,106,079 excess deaths ever since the U.S. Government decided to coerce millions of Americans into getting an experimental gene therapy (Covid-19 injection).



[Source Data](#)

So like we said at the beginning, the Covid-19 injections were meant to reduce the sudden surge of deaths the USA recorded in 2020 due to the alleged Covid-19 pandemic. But unfortunately, the official figures prove that the opposite has happened.

The question is, why?

The answer to that question can be found in an official report published by the UK Government.

The report was published in July by the UK Government organisation known as the Office for National Statistics (ONS), and it is titled '[Deaths by Vaccination Status, England, 1 January 2021 to 31 May 2022](#)'. It can be accessed on the ONS site [here](#) or downloaded [here](#).

All data relating to 'Age-standardised mortality rates for deaths by vaccination status, England: deaths occurring between 1 January 2021 and 31 May 2022: 6 July 2022'
Age-standardised mortality rates for deaths by vaccination status, England: deaths occurring between 1 January 2021 and 31 May 2022
Publication date: 6 July 2022
Contact e-mail: Health.Data@ons.gov.uk
Office for National Statistics
Crown Copyright 2020

[Source](#)

Table 2 of the report contains the monthly age-standardised mortality rates by vaccination status by age group for deaths per 100,000 person-years in England up to May 2022.

Here's how the ONS present the data for 18 to 39-year-olds in May 2022 –


Cause of Death	Year Month	Age group	Vaccination status	Count of deaths	Person-years	Age-standardised mortality rate / 100,000 person-years
Non-COVID-19 deaths	2022 May	18-39	Unvaccinated	24	180720	14.1
Non-COVID-19 deaths	2022 May	18-39	First dose, less than 21 days ago	<3	760	x
Non-COVID-19 deaths	2022 May	18-39	First dose, at least 21 days ago	12	38827	42.6
Non-COVID-19 deaths	2022 May	18-39	Second dose, less than 21 days ago	<3	2289	x
Non-COVID-19 deaths	2022 May	18-39	Second dose, at least 21 days ago	37	238300	17.3
Non-COVID-19 deaths	2022 May	18-39	Third dose or booster, less than 21 days ago	<3	7718	x
Non-COVID-19 deaths	2022 May	18-39	Third dose or booster, at least 21 days ago	106	476178	21.4

[Source](#)

We've taken the figures provided by the ONS for January to May 2022 and produced the following charts which reveal the horrific consequences of the mass Covid-19 vaccination campaign.

18 to 39-year-olds

The following chart shows the monthly age-standardised mortality rates by vaccination status among 18 to 39-year-olds for Non-Covid-19 deaths in England between January and May 2022 –



In every single month since the beginning of 2022, partly vaccinated and double vaccinated 18-39-year-olds have been more likely to die than unvaccinated 18 to 39-year-olds. Triple vaccinated 18 to 39-year-olds however have had a mortality rate that has worsened by the month following the mass Booster campaign that occurred in the UK in December 2021.

In January, triple vaccinated 18 to 39-year-olds were ever so slightly less likely to die than unvaccinated 18 to 39-year-olds, with a mortality rate of 29.8 per 100,000 among the unvaccinated and 28.1 per 100,000 among the triple vaccinated.


But this all changed from February onwards. In February, triple vaccinated 18 to 39-year-olds were 27% more likely to die than unvaccinated 18 to 39-year-olds, with a mortality rate of 26.7 per 100k among the triple vaccinated and 21 per 100k among the unvaccinated.

Things have unfortunately got even worse for the triple vaccinated by May 2022 though. The data shows that triple vaccinated 18 to 39-year-olds were 52% more likely to die than unvaccinated 18 to 39-year-olds in May, with a mortality rate of 21.4 per 100k among the triple vaccinated and 14.1 among the unvaccinated.

The worst figures so far though are among the partly vaccinated, with May seeing partly vaccinated 18 to 39-year-olds 202% more likely to die than unvaccinated 18 to 39-year-olds.

40 to 49-year-olds

The following chart shows the monthly age-standardised mortality rates by vaccination status among 40 to 49-year-olds for Non-Covid-19 deaths in England between January and May 2022 –




We see pretty much the same when it comes to 40 to 49-year-olds. In every single month since the beginning of 2022, partly vaccinated and double vaccinated 40 to 49-year-olds have been more likely to die than unvaccinated 40 to 49-year-olds.

The worst month for mortality rates among the partly and double vaccinated compared to the unvaccinated was February. This month saw partly vaccinated 40-49-year-olds 264% more likely to die than unvaccinated 40-49-year-olds. Whilst double vaccinated 40-49-year-olds were 61% more likely to die than unvaccinated 40-49-year-olds.

By May 2022, five months after the mass Booster campaign, triple vaccinated 40-49-year-olds were 40% more likely to die than unvaccinated 40-49-year-olds, with a mortality rate of 81.8 per 100k among the triple vaccinated and a mortality rate of 58.4 among the unvaccinated.

50 to 59-year-olds

The following chart shows the monthly age-standardised mortality rates by vaccination status among 50 to 59-year-olds for Non-Covid-19 deaths in England between January and May 2022 –



Yet again we see exactly the same pattern among 50 to 59-year-olds as seen among 40-49-year-olds.

In every single month since the beginning of 2022, partly vaccinated and double vaccinated 50 to 59-year-olds have been more likely to die than unvaccinated 50-59-year-olds.

May was the worst month for partly vaccinated 50 to 59-year-olds, as they were 170% more likely to die than unvaccinated 50 to 59-year-olds.


Whereas January was the worst month for double vaccinated 50-59-year-olds, as they were 115% more likely to die than unvaccinated 50-59-year-olds.

By May 2022, five months after the mass Booster campaign, triple vaccinated 50-59-year-olds were 17% more likely to die than unvaccinated 50-59-year-olds, with a mortality rate of 332 per 100k among the triple vaccinated and a mortality rate of 282.9 per 100k among the unvaccinated.

Therefore, by May 2022, unvaccinated 50-59-year-olds were the least likely to die among all vaccination groups.

60 to 69-year-olds

The following chart shows the monthly age-standardised mortality rates by vaccination status among 60 to 69-year-olds for Non-Covid-19 deaths in England between January and May 2022 –




The 60 to 69-year-olds show exactly the same pattern as 18 to 39-year-olds. The double and partly vaccinated have been more likely to die than the unvaccinated since the turn of the year, and the triple vaccinated have been more likely to die than the unvaccinated since February.

In January, partly vaccinated 60-69-year-olds were a shocking 256% more likely to die than unvaccinated 60-69-year-olds. Whilst in the same month, double vaccinated 60-69-year-olds were 223% more likely to die than unvaccinated 60-69-year-olds.

By May, triple vaccinated 60-69-year-olds were a troubling 117% more likely to die than unvaccinated 60-69-year-olds, with a mortality rate of 1801.3 per 100k among the triple vaccinated and a mortality rate of just 831.1 among the unvaccinated.

70 to 79-year-olds

The following chart shows the monthly age-standardised mortality rates by vaccination status among 70 to 79-year-olds for Non-Covid-19 deaths in England between January and May 2022 –




Things are slightly different for 70 to 70-year-olds because the data reveals the unvaccinated have been the least likely to die every month since the turn of the year.

In January, the partly vaccinated were 198% more likely to die than the unvaccinated, whilst the double vaccinated were a shocking 267% more likely to die than the unvaccinated.

The worst figures however come in May, which saw triple vaccinated 70-79-year-olds a disturbing 332% more likely to die than unvaccinated 70-79-year-olds, with a mortality rate of 9417.2 per 100k among the triple vaccinated and just 2181 per 100k among the unvaccinated.

80 to 89-year-olds

The following chart shows the monthly age-standardised mortality rates by vaccination status among 80 to 89-year-olds for Non-Covid-19 deaths in England between January and May 2022 –



Again we see the same pattern among 80-89-year-olds as seen among 70-79-year-olds, with the unvaccinated the least likely to die every month since the turn of the year.


In April, double vaccinated 80-89-year-olds were 213% more likely to die than unvaccinated 80-89-year-olds, with a mortality rate of 7598.9 per 100k among the unvaccinated and a mortality rate of a troubling 23,781.8 per 100k among the double vaccinated.

But in the same month, partly vaccinated 80-89-year-olds were a terrifying 672% more likely to die than unvaccinated 80-89-year-olds, with a shocking mortality rate of 58,668.9 per 100k among the partly vaccinated.

By May 2022, triple vaccinated 80-89-year-olds were 142% more likely to die than unvaccinated 80-89-year-olds, with a mortality rate of 14,002.3 among the triple vaccinated and a mortality rate of 5,789.1 among the unvaccinated.

90 + year-olds

The following chart shows the monthly age-standardised mortality rates by vaccination status among 90+ year-olds for Non-Covid-19 deaths in England between January and May 2022 –




Finally, we again see the same pattern among 90+ year-olds, with the unvaccinated the least likely to die every month since the turn of the year.

In April, double vaccinated 90+ year-olds were 244% more likely to die than unvaccinated 90+ year-olds, with a mortality rate of 62,302.7 per 100k among the double vaccinated and a mortality rate of 18,090.6 among the unvaccinated.


During the same month, however, partly vaccinated 90+ year-olds were a shocking 572% more likely to die than unvaccinated 90+ year-olds, with a mortality rate of 121,749.9 per 100k person-years among the partly vaccinated.

By May 2022, triple vaccinated 90+ year-olds were 26% more likely to die than unvaccinated 90+ year-olds, with a mortality rate of 13,761.6 per 100k among the unvaccinated and a mortality rate of 17,272.2 per 100k among the triple vaccinated.


The following three charts show the monthly age-standardised mortality rates by vaccination status for non-Covid-19 deaths in England between January and May 2022 as detailed above but collated together for all age groups –



[Click to enlarge](#)



[Click to enlarge](#)



Click to enlarge

All of the above is, therefore, indisputable evidence that Covid-19 vaccination increases a person's risk of death, and is causing more deaths than would have otherwise occurred if the Covid-19 vaccine has not been rolled-out.

So it looks like we've found the answer as to why the USA suffered over 1.1 million excess deaths ever since the U.S. Government decided to coerce millions of Americans into getting the experimental Covid-19 injections.

Category

1. Crime-Justice-Terrorism-Corruption
2. Disasters-Crisis-Depopulation-Genocide
3. Health-Wellness-Healing-Nutrition & Fitness
4. Main
5. NWO-Deep State-Dictatorship-Tyranny

Date Created

04/24/2023