

SHOCKING! – 1.5 million Adverse Reactions to the Covid-19 Vaccine including Stroke, Cardiac Arrest & Paralysis have been reported to the MHRA; now they want to give it to kids aged 5-11

Description

UK: The UK Government has announced that it will now offer the Pfizer Covid-19 vaccine to all children aged between 5 and 11 off the back of advice given by the Joint Committee on Vaccination and Immunisation (JCVI) to do so.

But with over 1.2 million adverse reactions including 2000 deaths reported to the MHRA Yellow Card Scheme as of 2nd Feb 22, questions are being asked of how the JCVI have come to the conclusion that the benefits of vaccination outweigh the risks.

It was only in July 2021 that the JCVI refused to recommend all children over the age of 12 should be offered the Covid-19 vaccine, because of justified fears over inflammation of the heart muscle (Myocarditis) linked to the Pfizer jab.

The JCVI were however, unfortunately ignored for the first time in history, with the Government urging the Chief Medical Officer for England, Chris Whitty to recommend that all children over 12 be offered the experimental jab, and so he did.

So why have the JCVI changed their tune just months later when it comes to children aged 5 to 11, who are at an even lower risk of developing serious disease due to Covid-19 than the already negligible risk among children aged 12 and over?

We suspect if you were to follow the money you would find out exactly why. But the decision to recommend the experimental jab be offered to children as young as 5 is nothing short of criminal because of the terrible risks associated with it.

You just have to look at the latest Yellow Card data published by the Medicine and Healthcare product Regulatory Agency (MHRA) to see why.

The MHRA publish a weekly report on adverse reactions that have been reported to the MHRA Yellow

Card Scheme against the Covid-19 injections, and their latest report covers adverse reactions reported up to 2nd February 2022, and here's what we found contained in the report for the Pfizer jab...

(We used the data shown in the UK Governments Analysis Print of the Pfizer vaccine [{which you can find here}](#).)

Myocarditis (*swelling of the heart muscle*) has been reported as an adverse reaction to the Pfizer Covid-19 injection 697 times resulting in 1 death. Whilst Pericarditis (*swelling of the sacs surrounding the heart*) has been reported as an adverse reaction 468 times resulting in 2 deaths. Both of these conditions are more likely to occur in younger males

Image not found or type unknown




Cardiac arrest has been reported as an adverse reaction to the Pfizer vaccine 123 times resulting in 44 deaths. In total there have been 12,094 cardiac disorders resulting in 142 deaths as a result of the Pfizer jab.

Image not found or type unknown




Deafness has been reported as an adverse reaction to the Pfizer vaccine 284 times, whilst sudden hearing loss has been reported as an adverse reaction 50 times. . There have been 6,311 ear disorders as a result of the Pfizer jab.

Image not found or type unknown




Blindness has been reported as an adverse reaction to the Pfizer vaccine 153 times, and there have been 7,700 eye disorders reported as a result of the Pfizer jab.

Image not found or type unknown



Anaphylactic reactions have been reported as an adverse reaction to the Pfizer jab 555 times resulting in 1 death, whilst anaphylactic shock has been reported 64 times. During an anaphylactic reaction your immune system releases a flood of chemicals that cause you to go into shock. Your blood pressure suddenly drops and your airways narrow, blocking breathing.

Image not found or type unknown




Immunodeficiency which is essentially AIDS, has been reported as an adverse reaction to the Pfizer vaccine 5 times, whilst immunosuppression has been reported as an adverse reaction 4 times, and immune system disorder has been reported as an adverse reaction 33 times.

But the most concerning adverse reaction noted in the immune system section is 'Multisystem inflammatory syndrome in children' which has been reported against the Pfizer vaccine 4 times.

Multisystem inflammatory syndrome in children (MIS-C) is a condition where different body parts become severely inflamed, including the heart, lungs, kidneys, brain, skin, eyes, or gastrointestinal organs. Much is unknown about it, including its cause and risk factors.


Image not found or type unknown



Strokes due to blood clots and haemorrhages have been reported as an adverse reaction to the Pfizer vaccine 749 times, sadly resulting in 59 deaths. These have included 57 ischaemic strokes resulting in 3 deaths, 19 subarachnoid haemorrhages resulting in 8 deaths, and 6 thrombotic strokes resulting in 1


death.

Image not found or type unknown




As well as 59 cerebral haemorrhages resulted in 14 deaths, 30 cerebral infarctions resulting in 12 deaths, and a shocking 473 cerebrovascular accidents resulting in 19 deaths.

Image not found or type unknown




Facial paralysis has been reported as an adverse reaction to the Pfizer vaccine 469 times, whilst Bell's palsy has been reported 615 times.

Image not found or type unknown




Paralysis has been reported as an adverse reaction to the Pfizer vaccine 151 times. There has also been 1 report of locked-in syndrome. This is a rare neurological disorder characterised by complete paralysis of voluntary muscles, except for those that control the eyes. People with locked-in syndrome are conscious and can think and reason, but are unable to speak or move.

Image not found or type unknown




In all, 78,444 nervous system disorders have been reported as adverse reactions to the Pfizer vaccine, resulting in 84 deaths.

Image not found or type unknown




There have been 469,842 adverse reactions reported to the MHRA Yellow Card scheme as a result of the Pfizer jab as of the 2nd February 2022, these include 717 deaths.

Image not found or type unknown




There have also been 861,650 adverse reactions reported to the MHRA Yellow Card scheme as a result of the AstraZeneca jab, these include 1,218 deaths.

Image not found or type unknown



As well as 117,517 adverse reactions reported as a result of the Moderna jab resulting in 37 deaths, and 4,596 adverse reactions where the brand of vaccine was not specified resulting in 38 deaths.

Image not found or type unknown



This means that as of 2nd Feb 22, the Covid-19 injections have resulted in at least 1.45 million adverse reactions and 2,010 deaths. So why on earth are the JCVI and UK Government now recommending

children as young as 5 be offered an experimental, dangerous, and deadly injection?

Category

1. Health-Wellness-Healing-Nutrition & Fitness
2. Main
3. Politics-Geopolitics-Gov.-Events
4. RECOMMENDED

Date Created

02/18/2022