

Shocking! - Latest CDC update on adverse US Covid vax reactions

Description

USA: The number of reported adverse reactions to the Covid vaccines in the USA surpassed 200,000 according to data released by the Centers for Disease Control and Prevention (CDC). The data comes directly from reports submitted to the Vaccine Adverse Event Reporting System (VAERS).

VAERS is the primary government-funded system for reporting adverse vaccine reactions in the U.S. Reports submitted to VAERS require further investigation before a causal relationship can be confirmed.

Every Friday, VAERS makes public all vaccine injury reports received as of a specified date, usually about a week prior to the release date. The latest data shows that between the 14th December 2020 and the 14th May 2021, a total of 227,805 total adverse events were reported to VAERS, including 4,201 deaths — an increase of 144 over the previous week — and 18,528 serious injuries, up 1,338 on the previous week.



From the 5/14/2021 release of VAERS data:

Found 227,805 cases where Vaccine is COVID19

Event Outcome	↑ ↓	
	Count	Percent
Death	4,201	1.84%
Permanent Disability	2,719	1.19%
Office Visit	39,151	17.19%
Emergency Room	39	0.02%
Emergency Doctor/Room	29,669	13.02%
Hospitalized	12,589	5.53%
Hospitalized, Prolonged	36	0.02%
Recovered	86,783	38.1%
Birth Defect	121	0.05%
Life Threatening	3,868	1.7%
Not Serious	90,133	39.57%
TOTAL	† 269,309	† 118.22%
	† 269,309	† 118.22

This data also showed <u>943</u> total adverse events, including <u>23</u> rated as serious, among 12- to -17-year-olds.

In the U.S., <u>268.4 million</u> COVID vaccine doses had been administered as of May 14. This <u>includes</u> 115 million doses of Moderna's vaccine, 144 million doses of Pfizer and 9 million doses of the Johnson & Johnson (J&J) COVID vaccine.

Of the 4,201 deaths reported as of May 14th, 23% occurred within 48 hours of vaccination, 16% occurred within 24 hours and 38% occurred in people who became ill within 48 hours of being vaccinated.

The latest VAERS data shows:

- 20% of deaths were related to cardiac disorders.
- 54% of those who died were male, 44% were female and the remaining death reports did not include gender of the deceased.
- The <u>average age</u> of death was 74.7 and the <u>youngest deaths</u> reported include two 15-year-olds (VAERS I.D. <u>1187918</u> and <u>1242573</u>) and a 16-year-old (VAERS I.D. <u>1225942</u>). There were other reported deaths in children under 16 that could not be confirmed or contained obvious errors.
- As of May 14, 1,140 pregnant women reported adverse events related to COVID vaccines, including 351 reports of miscarriage or premature birth.
- Of the <u>2,275 cases of Bell's Palsy reported</u>, 51% were reported after <u>Pfizer-BioNTech</u> vaccinations, 42% following vaccination with the Moderna vaccine and 192 cases, or 10%, of Bell's Palsy cases were reported in conjunction with J&J.
- There were 195 reports of Guillain-Barré Syndrome with 40% of cases attributed to Pfizer, 38%

to Moderna and 26% to J&J.

- There were 65,854 reports of anaphylaxis with 38% of cases attributed to Pfizer's vaccine, 51% to Moderna and 11% to J&J.
- There were 3,758 reports of clotting disorders and other related conditions. Of those, 1,468 reports were attributed to Pfizer, 1,093 reports to Moderna and 1,093 reports to J&J.

There have also been 822,845 adverse reactions to the Covid vaccines in the UK alongside 1,180 unnecessary deaths.

Category

1. Main

Tags

- 1. Kaliningrad
- 2. Medvedev
- 3. Rusko
- 4. USA

Date Created

05/30/2021