

Vaccine-Injuries SKYROCKET: Two Months into 2022, Vaccine-Related Myocarditis Reports in VAERS Have Surged to Nearly Half the Total Reported in 2021

Description

USA: For several months, the US public health regime and the bootlicking media have been routinely downplaying the risk of developing myocarditis after taking the vaccine, calling the occurrence "mild" and "rare," and systematically burying any evidence to the contrary.

However, myocarditis – a potentially life-threatening inflammation of the heart – is in no way a 'mild' adverse reaction to the vaccine – especially when 90% of cases that have been recorded in VAERS ended up hospitalized – so, in other words, that half of the narrative was just an outright lie.

And as for the claim that the condition is 'rare,' that was seemingly also completely false. Cases of myocarditis have exploded in the US since the rollout of the experimental vaccine, even in populations that aren't normally as likely to develop the condition, like children and young adults.


What's worse – the pace at which otherwise healthy Americans are developing the life-threatening heart condition is speeding up.

According to the <u>most recent Vaccine Adverse Event Reporting System (VAERS) data</u>, the number of myocarditis and pericarditis reports in the first two months of 2022 is already almost half as many as the total number of submissions in 2021.

Daniel Horowitz from The Blaze breaks down the VAERS numbers:

"We are over a year into the known safety signals of this vaccine for myocarditis, and yet the shots still have not been pulled, even for younger males. In fact, it's still a requirement in many colleges. Yet reports of myocarditis and pericarditis are so prevalent now that just in the first eight weeks of 2022, we're already at 47% of the total VAERS submissions for 2021. There were 24,177 reports of pericarditis/myocarditis submitted to VAERS in 2021. In 2022, just through Feb. 25, there were 11,289 reports, which is nearly half of last year's total."

Take a look:



If the numbers continue to hold at this pace, there will be a whopping three times more vaccine-related myocarditis cases than there were last year – and that would just be within VAERS, which is notoriously underreported.

When dissected further, the new data reveals some alarming trends. The problem is getting exponentially worse, and, most concerningly, teenagers and young adults are experiencing the worst of it.


Also, the condition most commonly develops after a second dose of the vaccine, no matter the age group.

From Horowitz:

"It's not acceptable (and never was) for the media and the pharma-paid 'fact checkers' to automatically dismiss VAERS. It is our main pharmaco-surveillance tool and was put in place precisely to serve as the consolation to the public for Congress absolving vaccine manufactures of liability. Also, the data complements what we've learned universally from all the myocarditis vaccine studies – that it targets teens and early 20s more than other age groups and is more potent after the second dose.

The CDC's own researchers published a study in JAMA in which they clinically confirmed most of the myocarditis submissions to VAERS. As such, they <u>concluded</u>, 'Given the high verification rate of reports of myocarditis to VAERS after mRNA-based COVID-19 vaccination, underreporting is more likely. Therefore, the actual rates of myocarditis per million doses of vaccine are likely higher than estimated."

Here is a <u>chart</u> from VAERS showing the breakdown of myocarditis cases by age and number of doses – 17 and 18 year olds have the highest rate, especially after the second dose:



The damages from this vaccine will linger for years to come, with countless Americans needlessly suffering from severe injury or death caused by the experimental jab. In addition to the myocarditis cases, there have also been over 20,000 deaths and over a million adverse events logged into VAERS since the beginning of the pandemic – which is an astounding number for any vaccine. In the past, vaccines would be pulled if they caused double-digit deaths, let alone tens of thousands.

In short, the mRNA Covid vaccine is by far the most dangerous vaccine ever recorded in VAERS, especially considering the still-unknown long-term effects, but Biden and the rest of the tyrants have been pushing everyone, including very young children, to take not one – not two – but three vaccines – with a fourth jab coming right around the corner.

Oh, and they are testing the vaccine on toddlers and infants as we speak so they can become eligible for the vaccine.

"Final Frontier:" Moderna Begins Testing Experimental Covid Jab on Infants as Young as 6 Months Old

Keep in mind, this virus has a 99.95-99.99% recovery rate – and with children and young people, it's even higher. So forcing this experimental jab on them is completely criminal and pure evil.

For several months now, actual experts like Robert Malone – the inventor of mRNA vaccine technology – and Dr. Peter McCullough – the most published and cited cardiologist in the world – have been warning about the "reprehensible and reckless" conduct by US public health officials with the experimental Covid-19 Vaccines – especially the recent decision to approve the jab for young children.

According to McCullough, who cites several <u>studies</u> to back his claims, Vaccine Induced Myocarditis is a rapidly growing problem that has become at least **50% more common than originally predicted by the US public health 'experts.'** The condition has become so prevalent, he says, **that children aged 12 to 17 are actually "more likely to be hospitalized with Myocarditis" after taking the vaccine than the virus itself.**

Teenage Boys 6X More Likely to Suffer Heart Problems From COVID Vax Than Be Hospitalized From Coronavirus

Daniel Horowitz has more on the new VAERS data over at The Blaze, check it out here.

By Julian Conradson

Category

- 1. Health-Wellness-Healing-Nutrition & Fitness
- 2. Main
- 3. Politics-Geopolitics-Gov.-Events

Date Created

03/12/2022