

Young Doctors in Canada Are Dying at Rate 23x Normal After the Second Booster

Description

CANADA: The Canadian Medical Association (CMA) data for 2020 shows doctors in Canada aged 50 and under die at a rate of about 6 per year.

After the latest booster, 6 Canadian doctors, 50 and under, died within a 15 day period.

Something is very wrong here, but nobody wants to talk about it or look into it. They'd rather look the other way.

Introduction

Thanks to the brilliant work of Marc Godard and Brent Kievit-Kylar, we now have the CMA death data that I wrote about earlier in <u>Google spreadsheet format</u> where it can be easily analyzed for the first time. Note that the CMA removed entries prior to 2020 because they said it was too resource intensive to maintain this data. That's hard to believe, but that's what they said.

The results are stunning if we look at young doctor deaths: it makes the impact of the vaccines much easier to see because there is more signal and less noise since doctors under 50 rarely die.

We find a 23X increase in the rate of all-cause mortality post-vaccine for Canadian doctors aged 50 and under (compared to the young doctor death rates in 2020).

How can they explain that one?

Well, they can't.

Those Canadian doctors died after the 2nd booster decades earlier than they should have.

I wanted to talk to the CMA about this, but my request to interview the President of the CMA was

ignored. They just don't want to talk about it. I'm sure they hope nobody sees this article.

So if you are reading this now, you know what to do:

You can verify my calculations yourself. All the data is now in plain sight.

Here's how you can verify this yourself if you were skeptical of my work:

- 1. Open the <u>spreadsheet</u>. Using Filter View "50 and under," you can see that 6 doctors died in 2020 before the vax rolled out in Canada on December 14. So 6 young doctors dead in 348 days is our baseline death rate.
- 2. From my article on Canadian deaths, we know of at least 6 Canadian doctors aged 50 and under that died in a 15 day period from July 13 to July 28 after the fourth booster was required. Here they are:



Died: July 28, 2022 Dr. Candace Nayman

Age: 27
Hamilton, ON
Pediatrics resident
Triathlete, died swimming



Died: July 23, 2022 Dr. Shahriar Jalali Mazlouman Age: 44 Melville, SK

Melville, SK Family physician Died while swimming



Died: July 19, 2022 Dr. Jakub T. Sawicki Age: 40s

Mississauga, ON Family physician

Had gastric ca, Stage 4, 11 mo



Died: July 17, 2022 Dr. Lorne E. Segall

Age: 49

Mississauga, ON

ENT

Had lung ca, Stage 4, 1 yr



Died: July 16, 2022 Dr. Paul Hannam

Age: 50 Toronto, ON

Emergency physician

Olympic sailor, died running



Died: July 13, 2022 Dr. Baharan Behzadizad

Age: 40s Newfoundland Family physician Died in her sleep

Note that the COVID vaccines are notorious for accelerating existing cancers and causing new cancers and killing people who are under physical stress such as swimming or running.

I'm not being judgmental here. I'm just tallying up all-cause mortality rates post-vaccine compared to average mortality rates of the same age group a year earlier.

So we have 6 deaths/348 days in 2020 vs. 6 deaths/15 days after the second booster.

348/15=23.2X.

So doctors who are 50 and under living in Canada are dying after the second booster at over 23X times the normally expected rate.

I found similar elevation in death rates for the vaccinated in my surveys

If you recall, I published an article just 20 days ago on August 10 where I used data submitted by over 600 readers to calculate an increased death rate for vaccinated people compared to the unvaccinated. The calculation was if you were vaccinated, your risk of death was 20.4X higher compared to unvaccinated people. That calculation was for all ages, not for those 50 and under. So they aren't directly comparable, but 20.4X and 23.2X are pretty similar. They are large signals.

Now, you might ask, "Wow, if the vaccine is elevating death rates by that much, then the mortuary business must be way up." It is way up, but not by 20X! This is because we are looking at under 50 deaths which are relatively small on an absolute basis.

I thought you should know what the Canadian doctor death data shows and I'm sure there are plenty of biases and confounders that affect this calculation, but even if I'm wrong by an order of magnitude, this should be an extremely troubling result for health authorities everywhere in the world: we should never be giving anyone a shot that is more likely to increase their risk of death than reduce it.

If this were an isolated anecdote and the only piece of negative data, many people would shrug their shoulders and ignore it.

But it's not an isolated incident. It's yet another very troubling data point showing the vaccines should be immediately halted.

Summary

I've been doing this for more than 15 months now and I have yet to find any reliable data points showing the vaccines are either safe or effective.

I'm still looking.

First published on August 31, 2022

Featured image is from Children's Health Defense

By Steve Kirsch

Category

- 1. Crime-Justice-Terrorism-Corruption
- 2. Disasters-Crisis-Depopulation-Genocide
- 3. Health-Wellness-Healing-Nutrition & Fitness
- 4. Main
- 5. NWO-Deep State-Dictatorship-Tyrrany

Date Created

09/20/2022